



# Viable Bulk Fungal Analysis

Sample Company  
Sample Contact Person

000 Sample Street, Suite 000  
Sample City, CA 00000-0000

**Sample Type:** Bulk Dust  
**Analysis:** Colony Count + Genus ID; FASI Method IAQ 103  
**Job ID / Site:** Sample Site

**Client ID:** 0000  
**Report Number:** F000000  
**SGSFL Job ID:** 0000-00  
**Date Received:** 00/00/00  
**Date Analyzed:** 00/00/00  
**Date Printed:** 00/00/00  
**First Reported:** 00/00/00

**Total Samples Submitted:** 3  
**Total Samples Analyzed:** 3

**Explanations:**

CFU	Colony Forming Units
%	Percent of Total
CFU/cm <sup>2</sup>	Colony Forming Units per square centimeter
CFU/g	Colony Forming Units per gram of sample
CFU/in <sup>2</sup>	Colony Forming Units per square inch
CFU/S	Colony Forming Units per sample
ND	None Detected
Media	Type of nutrient media used to culture colonies
LOD	Limit of Detection (Units are the same as result units)
*	Not included in Totals Calculations
TNTC	Too Numerous To Count

**Guidelines For Interpretation:**

No accepted quantitative regulatory standards currently exist by which to assess the health risks related to mold exposure. Molds have been associated with a variety of health effects and sensitivity varies from person to person.

Several organizations, including: the American Conference of Governmental Industrial Hygienists (ACGIH); the American Industrial Hygiene Association (AIHA); the Indoor Air Quality Association (IAQA); the United States Environmental Protection Agency (USEPA); the Centers for Disease Control (CDC), as well as the California Department of Health Services (CADHS), have all published guidelines for assessment and interpretation of mold resulting from water intrusion in buildings.

FALI reports solely the organisms observed on the sample(s). The limit of detection is based on observing one spore/colony per area analyzed. This is not an inclusive list of the fungal types identified in the microbiology laboratory.

**Microbiology Laboratory Supervisor, Hayward Laboratory**

Analytical results and reports are generated by SGS Forensic Laboratories (SGSFL) at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by SGSFL to any third party without prior written request from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full, unless approved by SGSFL. The client is solely responsible for the use and interpretation of test results and reports requested from SGSFL. SGSFL is not able to assess the degree of hazard resulting from materials analyzed. SGS Forensic Laboratories reserves the right to dispose of all samples after a period of fourteen (14) days, according to all state and federal guidelines, unless otherwise specified. All samples were received in acceptable condition unless otherwise noted.